



# **Do not** take the following medications the day of your scheduled surgery.



Angiotensin Converting Enzyme (ACE) Inhibitors
Benazepril / amlodipine (Lotrel)
Benazepril (Lotensin)
Benazepril / HCTZ (Lotensin HCT)
Captopril (Capoten®)
Captopril / HCTZ (Capozide)
Enalapril (Vasotec®)
Enalapril / HCTZ (Vaseretic)
Fosinopril (Monopril)
Fosinopril / HCTZ (Monopril HCT)
Lisinopril (Prinivil®, Zestril®)
Lisinopril / HCTZ (Prinzide or Zestoretic)
Moexipril (Univasc)
Moexipril / HCTZ (Uniretic)
Perindopril (Aceon)
Quinapril (Accupril)

Particulate Antacids
Gaviscon
Maalox
Mylanta
Milk of Magnesia
Gaviscon

Angiotensin Receptor Blockers (ARB)
Azilsartan (Edarbi)
Candesartan (Atacand)
Candesartan/HCTZ (Atacand HCT)
Eprosartan (Teveten)
Eprosartan/HCTZ (Teveten HCT)
Irbesartan (Avapro)
Irbesartan / HCTZ (Avalide)
Losartan (Cozaar□)
Losartan / HCTZ (Hyzaar)
Olmesartan (Benicar)
Olmesartan / HCTZ (Benicar HCT)
Telmisartan (Micardis)
Telmisartan/HCTZ (Micardis HCT)
Valsartan (Diovan)
Valsartan / HCTZ (Diovan HCT)
Azilsartan (Edarbi)

Diuretics
<b>EXCEPTION: Do take for congestive heart failure or ascites, as directed by your doctor.</b>
Acetazolamide (Diamox)
Amiloride
Amiloride/Hydrochlorothiazide (Moduretic)
Bendroflumethiazide
Bumetanide (Bumex)
Chlorothiazide (Diuril)
Chlorthalidone (Thalitone)
Eplerenone (Inspra®)
Ethacrynic acid (Edecrin)
Furosemide (Lasix®)
Hydrochlorothiazide (Microzide, Esidrix®)
Indapamide (Lozol)
Metolazone (Zaroxolyn)
Methazolamide
Metolazone (Zaroxoxlyn)
Spironolactone (Aldactone)
Spironolactone/Hydrochlorothiazide (Aldactazide)
Toremide (Demadex)
Triamterene (Dyrenium)
Triamterene / HCTZ (Dyazide, Maxzide)

Appetite Suppressant (Diet Drug)
<b>Discontinue for 6 days pre-surgery</b>
Phentermine (Adipex®, Suprenza®)
Phentermine / Topiramate (Qsymia®)

SGLT-2 Inhibitors
<b>Discontinue according to time listed below:</b>
Jardiance (empagliflozin) 3 days before Surgery
Invokana (canagliflozin) 3 days before Surgery
Farxiga (dapagliflozin) 3 days before Surgery
Steglatro (etugliflozin) 4 days before Surgery

GLP-1– Do not take on the day of surgery if scheduled daily. If scheduled weekly, do not take a week prior to the surgery.
Semaglutide, dulaglutide, albiglutide, liraglutide, exenatide, lixisenatide)

Metformin ER
<b>Discontinue 24hours before Surgery</b>
Glucophage XR
Glumetza
Fortamet

Metformin: Do not take on the morning of Surgery.
If patient with renal disease, longer than 4 hour scheduled case, or if contrast dye is to be used, STOP Metformin the <b>DAY</b> before scheduled surgery



# Please ask your provider prior to taking the following medications the day of surgery



<b>Anticoagulants:</b>
<p><b>Aspirin:</b> Discontinue for 7 days prior to non-cardiovascular surgery. Continue for carotid surgery, recent heart stent, recent MI or stroke. Again, please consult with your doctor.</p>
<p><b>Coumadin:</b> Generally, discontinue for 5 days pre-surgery. Again, must consult</p>
Dabigatran (Pradaxa®)
Fondaparinux (Arixtra)
Apixaban (Eliquis)
Rivaroxaban (Xarelto)
Clopidogrel (Plavix)
Prasugrel (Effient)
Ticagrelor (Brilinta)
Ticlopidine (Ticlid)

<b>Non-steroidal anti-inflammatory:</b>
<p><b>Consult with your surgeon. Generally, stop 2-3 days before surgery</b></p>
Diclofenac (Cataflam®, Voltaren®)
Etodolac (Lodine®)
Fenoprofen (Nalfon®)
Flurbiprofen (Ansaid®)
Ibuprofen (Advil®, Motrin®)
Ibuprofen/Hydrocodone (Vicoprofen®)
Ibuprofen/Oxycodone (Combunox®)
Indomethacin (Indocin®)
Ketoprofen (Orudis KT®, Oruvail®)
Ketorolac (Toradol®)
Meclofenamate (Meclomen®)
Mefenamic Acid (Ponstel®)
Tolmetin (Tolectin®)
Diflunisal (Dolobid®)
Etodolac (Lodine XL®)
Meloxicam (Mobic®)
Nabumetone (Relafen®)
Naproxen (Aleve®, Anaprox®, Naprosyn®)
Oxaprozin (Daypro®)
Piroxicam (Feldene®)
Sulindac (Clinoril®)

<b>MAO inhibitors:</b>
<p><b>Obtain psychiatry consult before elective surgery for further instructions.</b></p>
Isocarboxazid (Marplan®)
Phenelzine (Nardil®)
Tranylcypromine (Parnate®)
Rasagiline (Azilect®)
Selegiline patch (Emsam®)
Isocarboxazid (Marplan®)
Phenelzine (Nardil®)
Tranylcypromine (Parnate®)
Rasagiline (Azilect®)
Selegiline patch (Emsam®)

<b>Cox-2 Inhibitor:</b>
<p><b>Consult with your surgeon. You may be asked to continue including morning of surgery</b></p>
Celecoxib (Celebrex)



# You may take the following medications the day of your surgery.



Beta Blockers
Acebutolol (Sectral)
Atenolol (Tenormin)
Betaxolol (Kerlone)
Bisoprolol (Zebeta)
Carvedilol (Coreg)
Metoprolol (Lopressor, Toprol XL)
Nadolol (Corgard)
Nebivolol (Bystolic)
Penbutolol (Levitol)
Pindolol (Visken)
Propranolol (Inderal)
Sotalol (Betapace)

Bronchodilators, Inhaled Steroids, Anticholinergics, or combination of these
Albuterol (ProAir, Proventil, Ventolin)
Albuterol/Ipratropium (Duoneb, Combivent)
Formoterol/Budesonide (Symbicort)
Formoterol/Mometasone (Dulera)
Ipratropium (Atrovent)
Levalbuterol (Xopenex)
Salmeterol (Serevent)
Salmeterol/Fluticasone (Advair)
Beclomethasone (QVAR)
Flunisolide (AeroBid)
Fluticasone (Flovent)
Mometasone (Asmanex)
Triamcinolone (Asmacort)
Fluticasone/vilanterol (Breo)
Tiotropium/olodaterol (Stiolto)

Steroids (Glucocorticoids)
Prednisone
Methylprednisolone (Medrol) or (Solumedrol)

Opioid Agonist/Antagonist: Consider transitioning to alternative medication 1-2 weeks prior to elective surgery by the prescribing physician.
Buprenorphine/Naloxone (Suboxone)
Buprenorphine patch (Butrans)
Naltrexone (Vivitrol, ReVia, Depade)

Thyroid hormone
Levothyroxine (Synthroid, Levoxyl)
Dessicated thyroid (Armour Thyroid)

Calcium Channel Blocker
Amlodipine (Norvasc®)
Clevidipine (Cleviprex®)
Diltiazem (Cardizem®)
Felodipine (Plendil®)
Isradipine (Dynacirc®)
Nicardipine (Cardene®)
Nifedipine (Procardia®, Adalat®)
Nimodipine (Nimotop®)
Verapamil (Calan®, Covera-HS®, Verelan®)

Statins
Atorvastatin (Lipitor)
Fluvastatin (Lescol)
Lovastatin (Mevacor)
Pitavastatin (Livalo)
Pravastatin (Pravachol)
Rosuvastatin (Crestor)
Simvastatin (Zocor)

Opioid/Narcotics
Fentanyl Patch (Duragesic)
Hydromorphone SR (Exalgo)
Methadone (Dolophine)
Morphine SR (MS Contin, Kadian, Avinza)
Morphine SR/Naltrexone (Embeda)
Oxycodone SR (Oxycontin)
Oxymorphone (Opana ER)
Hydrocodone
Hydrocodone/Acetaminophen (Hycet, Lorcet, Lortab, Norco, Vicodin, Zydone)
Hydrocodone/Ibuprofen (Vicoprofen)
Hydromorphone (Dilaudid)
Hydromorphone ER (Exalgo)
Morphine
Oxycodone (Roxicodone)
Oxycodone/Acetaminophen (Percocet, Endocet, Roxicet)
Oxycodone/Aspirin (Percodan, Endodan)
Propoxyphene/Acetaminophen (Darvocet)
Propoxyphene/Aspirin (Darvon)
Tapentadol (Nucynta)



# You may take the following medications the day of your surgery.



## GERD/antacids

Esomeprazole (Nexium)  
Lansoprazole (Prevacid)  
Omeprazole (Prilosec)  
Pantoprazole (Protonix)  
Rabeprazole (Aciphex)

## Alzheimer's (acetyl cholinesterase inhibitors)

Donazepil (Aricept)  
Galantamine (Razadyne)  
Rivastigmine (Exelon)  
Tacrine (Cognex)

## Antidepressants (and anti-anxiety)

Citalopram (Celexa®)  
Duloxetine (Cymbalta)  
Escitalopram (Lexapro®)  
Fluoxetine (Prozac®)  
Fluvoxamine (Luvox®)  
Paroxetine (Paxil®)  
Sertraline (Zoloft®)  
Strattera (Atomoxetine®)  
Desvenlafaxine (Pristiq, Khedezla)  
Amitriptyline (Elavil)  
Bupropion (Wellbutrin)  
Desipramine (Norpramin)  
Doxepin (Sinequan)  
Imipramine (Tofranil)  
Mirtazapine (Remeron®)  
Nefazodone (Serzone)  
Nortriptyline (Pamelor)  
Trazodone (Desyrel)  
Buspirone (Buspar)

## Lithium

You may take morning of surgery. Please consult with your psychiatrist for instructions.

## Skeletal Muscle Relaxants

Carisoprodol (Soma)  
Metaxalone (Skelaxin)

## Histamine H2 blockers

Cimetidine (Tagamet)  
Famotidine (Pepcid)  
Nizatidine (Axid)  
Ranitidine (Zantac)

## Psychiatric (including anxiety and depression) and Neurological Medications

Alprazolam (Xanax®)  
Chlordiazepoxide (Librium®)  
Diazepam (Valium®)  
Clonazepam (Klonopin)

## Anticonvulsants

Carbamazepine (Tegretol)  
Felbamate (Felbatol)  
Gabapentin (Neurontin)  
Levetiracetam (Keppra)  
Lamotrigine (Lamictal)  
Oxcarbazepine (Trileptal)  
Phenytoin (Dilantin)  
Pregabalin (Lyrica)  
Primidone (Mysoline)  
Tiagabine (Gabitril)  
Topiramate (Topamax)  
Valproic Acid (Depakote)  
Zonisamide (Zonegran)

## ADHD (stimulant and non-stimulant)

Dextroamphetamine (Adderall)  
Lisdexamfetamine (Vyvanse)  
Dexmethylphenidate (Focalin)  
Methylphenidate (Ritalin, Metadate, Concerta, Daytrana patch)  
Guanfacine (Intuniv)  
Atomoxetine (Strattera)